

Item Number	Hits	Search Text	DB	Time stamp
-	26	(("5480306") or ("6111567") or ("5958014") or ("6434745") or ("4963719") or ("5616876") or ("6264106") or ("6324165") or ("5566291") or ("6195531") or ("6359711") or ("5598540") or ("6315195")) PN	USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	2003/03/08 20:20
-	13	(("5480306") or ("6111567") or ("5958014") or ("6434745") or ("4963719") or ("5616876") or ("6264106") or ("6324165") or ("5566291") or ("6195531") or ("6359711") or ("5598540") or ("6315195")) PN	USPAT	2003/03/08 20:21
-	13	(("5869820") or ("5613137") or ("6343298") or ("6095418") or ("4952785") or ("5971279") or ("5288976") or ("4965167") or ("5965251") or ("4831610") or ("5998752") or ("5956708") or ("5992752")) PN	USPAT	2003/03/08 22:21
-	2	(("4964167") or ("6343298")) PN	USPAT	2003/03/08 22:36
-	0	235/\$ cels and (labeled adj locations) same (labeled adj objects)	USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	2003/03/08 22:36
-	1	235/\$ cels and (labeled adj locations)	USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	2003/03/08 22:37
-	123	235/\$ cels and (label with locations)	USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	2003/03/08 22:37
-	3	235/\$ cels and (label with locations) same (label with objects)	USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	2003/03/08 22:39
-	26	labeled adj locations	USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	2003/03/08 22:41
-	14	labeled adj shelf	USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	2003/03/08 22:47
-	401	((barcode or (bar adj code)) adj label and determin\$4 with location	USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	2003/03/08 22:48
-	65	((barcode or (bar adj code)) adj label same determin\$4 with location	USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	2003/03/08 22:48
-	65	((barcode or (bar adj code)) adj label) same (determin\$4 with location)	USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	2003/03/08 22:49
-	50	((barcode or (bar adj code)) adj label) same (determin\$4 with location)	USPAT	2003/03/08 22:50

Number	Hits	Search Text	DB	Time stamp
-	1	235/\$ cels and ((bar adj code) or barcode) same (visual or audio) adj file	USPAT US-PGPUB EPO, JPO DERWENT IBM_TDB	2003/03/06 15:43
-	48	235/\$ cels and scan\$4 with ((bar adj code) or barcode) with play\$4	USPAT US-PGPUB EPO, JPO DERWENT IBM_TDB	2003/03/06 08:16
-	48	235/\$ cels and scan\$4 with playback	USPAT US-PGPUB EPO, JPO DERWENT IBM_TDB	2003/03/06 08:25
-	2	235/\$ cels and (RFID) with playback	USPAT US-PGPUB EPO, JPO DERWENT IBM_TDB	2003/03/06 08:29
-	0	235/\$ cels and (scan\$4 with label) with playback	USPAT US-PGPUB EPO, JPO DERWENT IBM_TDB	2003/03/06 08:36
-	2	5288976 pn	USPAT US-PGPUB EPO, JPO DERWENT IBM_TDB	2003/03/06 08:54
-	12	("4475153" ; "4535204" ; "4654482" ; "4816635" ; "4831610" ; "4841132" ; "4882475" ; "4899370" ; "4937853" ; "4947028" ; "4952785" ; "4964167") PN	USPAT	2003/03/06 08:42
-	42	5288976 URPN	USPAT	2003/03/06 08:44
-	42	5288976 URPN	USPAT	2003/03/06 08:44
-	3	tour with database with files	USPAT US-PGPUB EPO, JPO DERWENT IBM_TDB	2003/03/06 08:55
-	72	tour with database	USPAT US-PGPUB EPO, JPO DERWENT IBM_TDB	2003/03/07 09:49
-	25	tour with database	USPAT	2003/03/06 10:05
-	2686	(scan\$4 with ((bar adj code) or barcode)) same stor\$4	USPAT	2003/03/06 10:09
-	1263	(scan\$4 with ((bar adj code) or barcode)) same stor\$4 with data	USPAT	2003/03/06 10:09
-	561	(scan\$4 with ((bar adj code) or barcode)) with stor\$4 with data	USPAT	2003/03/06 10:10
-	163	(scan\$4 with ((bar adj code) or barcode)) with (storing or stores) with data	USPAT	2003/03/06 10:12
-	163	(scan\$4 with ((bar adj code) or barcode)) with (storing or stores) adj5 data	USPAT	2003/03/06 13:21
-	112	creat\$4 with code with item	USPAT	2003/03/06 13:48
-	35	(creat\$4 with code with item) and (barcode or (bar adj code))	USPAT	2003/03/06 13:26

37	"43445633" "43622995" "44114151" "4429855" "4208795" "4262632" "4325146" "4364043" "4459590" "4463353" "4463706" "4475481" "4535557" "4711994" "4785563" "4823558" "4854328" "4857893" "4881061" "5028918" "5041826" "5150114" "5249827" "5300120" "5339051" "5353011" "5358514" "5499626" "5504321" "5511553" "5519200" "5525991" "5587575" "5621203" "5621204" "5621647" "5623347":PN	USPAT	2003/03/06 13 33
8	scan\$4 same creat\$4 with code with item	USPAT	2003/03/06 14 13
63	scan\$4 with enter\$4 with data with item	USPAT	2003/03/06 14 14
17	(scan\$4 with (barcode or (bar adj code)) with enter\$4 with data with item	USPAT	2003/03/06 14 16
82	(scan\$4 with (barcode or (bar adj code)) with enter\$4 with item	USPAT	2003/03/06 14 20
2	apply\$4 with (barcode or (bar adj code)) with item	USPAT	2003/03/06 14 21
5	associat\$4 with (barcode or (bar adj code)) with item	USPAT	2003/03/06 14 22
175	associat\$4 with (barcode or (bar adj code)) with item	USPAT	2003/03/06 14 22
94	associat\$4 with (barcode or (bar adj code)) with item with scan\$4	USPAT	2003/03/06 14 24
2	associate with (barcode or (bar adj code)) with item with scan\$4	USPAT	2003/03/06 14 25
3	apply with (barcode or (bar adj code)) with item with scan\$4	USPAT	2003/03/06 14 26
6	relate with (barcode or (bar adj code)) with item with scan\$4	USPAT	2003/03/06 14 32
2	(creat\$4 with code) and (associate with code with item)	USPAT	2003/03/06 15 31
1486	authoring	USPAT	2003/03/06 15 31
28	authoring with item	USPAT	2003/03/06 15 32
77	(barcode or (bar adj code)) and authoring	USPAT	2003/03/06 15 50
6	authoring with object with identifier	USPAT	2003/03/06 15 50
8	authoring with bound	USPAT	2003/03/06 15 55
22	authoring adj information	USPAT	2003/03/06 16 07
0	(authoring adj information) with object	USPAT	2003/03/06 16 08
215	authoring with object	USPAT	2003/03/06 16 08
5	authoring with object with item	USPAT	2003/03/06 16 10
2	authoring with (barcode or (bar adj code))	USPAT	2003/03/06 16 11
15	authoring with bound\$4	USPAT	2003/03/06 17 31
3	6095418 pn	USPAT	2003/03/06 17 32
1	5486306 pn	USPAT	2003/03/08 18 33
1	6343298 pn	USPAT	2003/03/06 20 27
3	235 \$ ccls and (hive adj agent)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/07 08 57
158	hive adj agent	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/07 08 59
5	(hive adj agent) with content	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/07 09 08
9	(hive adj agent) with link	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/07 09 05
13	(hive adj agent) with database	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/07 09 03
5	(hive adj agent) with link	USPAT	2003/03/07 09 10

-	11	stor\$4 with (hive adj agent)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/07 09:09
-	6	stor\$4 with (hive adj agent)	USPAT	2003/03/07 09:09
-	35	(hive adj agent) with connect\$4	USPAT	2003/03/07 09:12
-	1	(hive adj agent) with connect\$4 with stor\$4	USPAT	2003/03/07 09:13
-	2	5480300 pn	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/07 09:49
-	36	235 \$ cels. and (label with cross-reference)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/07 13:52
-	1	235 \$ cels. and (labels with cross-reference)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/07 14:27
-	24	235 \$ cels. and (second adj label) with first	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/07 15:50
-	0	235 \$ cels. and (upload\$4 with remote with server) same (wireless and wired)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/07 15:51
-	7	235 \$ cels. and (remote with server) same (wireless and wired)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/07 15:53
-	81	(remote adj server) same (wireless and wired)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/07 15:56
-	11	(remote adj server) same (wireless and wired) adj connection	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/07 15:54
-	2	(remote adj server) same (wireless and wired) adj connection	USPAT	2003/03/07 15:55
-	23	(remote adj server) same (wireless and wired)	USPAT	2003/03/07 16:19
-	42	235 \$ cels. and (barcode or (bar adj code)) with RFID	USPAT	2003/03/07 17:33
-	156	compar\$4 with time with timestamp	USPAT	2003/03/07 17:33
-	22	compar\$4 with current adj time with timestamp	USPAT	2003/03/07 17:34
-	1	(physical adj world) r	US-PGPUB	2003/03/07 17:53
-	1	5480300 pn	USPAT	2003/03/07 18:21
-	1	6343298 pn	USPAT	2003/03/07 18:07
-	4	feedback with render\$4 with content	USPAT	2003/03/07 18:12
-	0	5480300 pn	US-PGPUB	2003/03/07 18:14
-	1	5978773 pn	USPAT	2003/03/07 18:21
-	1	6095418 pn	USPAT	2003/03/07 18:21

-	5	(feedback or annotation) with cross-reference	USPAT US-PGPUB EPO, JPO DERWENT, IBM_TDB	2003/03/08 15:47
-	7	(feedback or annotation) with bind\$- with identifier	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/08 15:48
-	359	(feedback or annotation) with identifier	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/08 15:48
-	6	(feedback or annotation) with (object adj) identifier	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/08 16:57
-	381	(cellular adj) telephone adj) network) with wireless	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/08 16:58
-	64	(cellular adj) telephone adj) network) with (wireless adj) network)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/08 17:22
-	1	internet and (cellular adj) telephone adj) voice adj) mailbox)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/08 17:23
-	618	internet and (voicemail)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/08 17:23
-	131479	internet awith (voicemail)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/08 17:23
-	89	internet with (voicemail)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2003/03/08 17:23
-	38	internet with (voicemail)	USPAT	2003/03/08 17:24
-	1	access\$4 with internet with (voicemail)	USPAT	2003/03/08 17:26
-	295	data with access\$4 with sequential with order	USPAT	2003/03/08 17:47
-	124	data with access\$4 with (sequential adj) order)	USPAT	2003/03/08 17:48
-	37	data near 3 access\$4 near 3 (sequential adj) order)	USPAT	2003/03/08 17:50
-	10	apparatus with pda with (cell adj) phone)	USPAT	2003/03/08 18:06
-	52	pda with (cell adj) phone)	USPAT	2003/03/08 18:08
-	2	235 \$ cels. and pda with (cell adj) phone)	USPAT	2003/03/08 18:07
-	112	pda with (cellular adj) phone)	USPAT	2003/03/08 18:08
-	4	(pda with (cellular adj) phone) and 235 \$ cels	USPAT	2003/03/08 18:09
-	35	(barcode or (bar adj) code) adj) reader and (cellular adj) phone) and (personal adj) digital adj) assistant)	USPAT	2003/03/08 18:11

1	(barcode or (bar adj code)) adj reader and (cellular adj phone) with (personal adj digital adj assistant)	USPAT	2003/03/08 18:44
2	(IR adj tag adj reader) and (coordinate with location)	USPAT	2003/03/08 18:35
3	(IR adj tag adj reader) and (barcode or (bar adj code)) adj reader	USPAT	2003/03/08 18:35
4	(IR adj tag) and (barcode or (bar adj code))	USPAT	2003/03/08 18:36
5	(IR adj tag) and (barcode or (bar adj code))	USPAT	2003/03/08 18:44
6	235\$ cells and (IR adj tag adj reader)	USPAT	2003/03/08 18:44
7	(IR adj tag adj reader)	USPAT	2003/03/08 18:45
8	235\$ cells and (IR adj reader)	USPAT	2003/03/08 18:45
9	IR adj reader	USPAT	2003/03/08 18:46
10	infrared adj tag adj reader	USPAT	2003/03/08 19:02
11	circuitry with coordinate with location	USPAT	2003/03/08 19:02
12	determin\$4 with circuitry with coordinate with location	USPAT	2003/03/08 19:02